Opcrit for Windows (v4), Item Checklist.

© 1992,1993,1997,2004 P.McGuffin, Anne Farmer

Details & History

1	Source of Rating	(1-6)	
2	Time Frame	(1-4)	
3	Gender	(0,1)	
4	Age of onset		
5	Mode of onset	(1-5)	
6	Single '(subject never married / lived as married)'	(0,1)	
7	Unemployed at onset	(0,1)	
8	Duration of illness in weeks (max=99)		
9	Poor work adjustment	(0,1)	
10	Poor premorbid social adjustment	(0,1)	
11	Premorbid personality disorder	(0,1)	
12	Alcohol/drug abuse within one year of onset of psychotic symptoms	(0,1)	
13	Family history of schizophrenia	(0,1)	
14	Family history of other psychiatric disorder	(0,1)	
15	Coarse brain disease prior to onset	(0,1)	
16	Definite psychosocial stressor prior to onset	(0,1)	

Appearance & Behaviour

17	Bizarre behaviour	(0,1)	
18	Catatonia	(0,1,2)	
19	Excessive activity	(0,1,2,3)	
20	Reckless activity	(0,1,2,3)	
21	Distractibility	(0,1,2,3)	
22	Reduced need for sleep	(0,1,2,3)	
23	Agitated activity	(0,1,2,3)	
24	Slowed activity	(0,1,2,3)	
25	Loss of energy/tiredness	(0,1,2,3)	

Speech & Form of Thought

26	Speech difficult to understand	(0,1)	
27	Incoherent	(0,1,2)	
28	Positive formal thought disorder	(0,1,2)	
29	Negative formal thought disorder	(0,1,2)	
30	Pressured speech	(0,1,2,3)	
31	Thoughts racing	(0,1,2,3)	

Affect and Associated Features

32	Restricted affect	(0,1,2)	
33	Blunted affect	(0,1,2)	
34	Inappropriate affect	(0,1,2)	
35	Elevated mood	(0,1,2,3)	
36	Irritable mood	(0,1,2,3)	
37	Dysphoria	(0,1,2,3)	
38	Diurnal variation (mood worse mornings)	(0,1)	
39	Loss of pleasure	(0,1,2,3)	
40	Altered libido	(0,1,2)	
41	Poor concentration	(0,1,2,3)	
42	Excessive self reproach	(0,1,2,3)	
43	Suicidal ideation	(0,1,2,3)	
44	Initial insomnia	(0,1,2,3)	
45	Middle insomnia (broken sleep)	(0,1)	
46	Early morning waking	(0,1,2,3)	
47	Excessive sleep	(0,1,2,3)	
48	Poor appetite	(0,1,2,3)	
49	Weight loss	(0,1,2,3)	
50	Increased appetite	(0,1,2,3)	
51	Weight gain	(0,1,2,3)	
52	Relationship between psychotic and affective symptoms	(0,1,2,3)	
53	Increased sociability	(0,1,2,3)	

Abnormal Beliefs and Ideas

54	Persecutory delusions	(0,1,2)	
55	Well organised delusions	(0,1,2)	
56	Increased self esteem	(0,1,2,3)	
57	Grandiose delusions	(0,1,2,3)	
58	Delusions of influence	(0,1,2)	
59	Bizarre delusions	(0,1,2)	
60	Widespread delusions	(0,1,2)	
61	Delusions of passivity	(0,1,2)	
62	Primary delusional perception	(0,1,2)	
63	Other primary delusions	(0,1,2)	
64	Delusions & hallucinations last for one week	(0,1,2)	
65	Persecutory/jealous delusions & hallucinations	(0,1,2)	
66	Thought insertion	(0,1,2)	
67	Thought withdrawal	(0,1,2)	
68	Thought broadcast	(0,1,2)	
69	Delusions of guilt	(0,1,2,3)	
70	Delusions of poverty	(0,1,2,3)	
71	Nihilistic delusions	(0,1,2,3)	

Abnormal Perceptions

72	Thought echo	(0,1,2)	
73	Third person auditory hallucinations	(0,1,2)	
74	Running commentary voices	(0,1,2)	
75	Abusive/accusatory/persecutory voices	(0,1,2)	
76	Other (non affective) auditory hallucinations	(0,1,2)	
77	Non-affective hallucination in any modality	(0,1,2)	

Substance Abuse or Dependence

78	Life time diagnosis of alcohol abuse/dependence	(0,1)	
79	Life time diagnosis of cannabis abuse/dependence	(0,1)	
80	Life time diagnosis of other abuse/dependence	(0,1)	
81	Alcohol abuse/dependence with psychopathology	(0,1)	
82	Cannabis abuse/dependence with psychopathology	(0,1)	
83	Other abuse/dependence with psychopathology	(0,1)	

General Appraisal

84	Information not credible	(0,1)	
85	Lack of insight	(0,1)	
86	Rapport difficult	(0,1)	
87	Impairment/incapacity during disorder	(0,1,2,3)	
88	Deterioration from premorbid level of functioning	(0,1)	
89	Psychotic symptoms respond to neuroleptics	(0,1)	
90	Course of disorder	(1–5)	